




8" ICF




10" ICF

12" ICF

2" Head



4" Head



Scale: 1" = 1'-0"

Note: The "Standard" design features a brick return on the exterior and a drywall return on the interior side of the ICF wall. 2" Head and 4" head options are available. Use any combination of the wall finish accomodation designs to fit the need of your project.



Stala ICC-500 Solutions
Standard Design




Version: 05/26/2022

8" ICF




10" ICF

12" ICF

2" Head



4" Head



Scale: 1" = 1'-0"

Note: The "Base" design wraps the ICF wall using no wall finish returns. 2" Head and 4" head options are available. Use any combination of the wall finish accommodation designs to fit the need of your project.



Stala ICC-500 Solutions
Base Design




Version: 05/26/2022

8" ICF




10" ICF

12" ICF

2" Head



4" Head



Scale: 1" = 1'-0"

Note: The "Double Drywall" design wraps the ICF wall and uses drywall returns on both sides of the ICF Wall. 2" Head and 4" head options are available. Use any combination of the wall finish accommodation designs to fit the need of your project.



Stala ICC-500 Solutions
Double Drywall Design




Version: 05/26/2022

8" ICF




10" ICF

12" ICF

2" Head



4" Head



Scale: 1" = 1'-0"

Note: The "EIFS" design is similar to the "Standard" design. The difference is the protrusion of the EIFS return can be reduced to be flush with the EIFS wall finish. 2" head and 4" head options are available. Use any combination of the wall finish accommodation designs to fit the need of your project.



Stala ICC-500 Solutions
EIFS Design

Version: 05/26/2022